


ALPHA SPOT HPE 700


Legenda Diameter 10%-50%: valori del diametro del fascio luminoso corrispondenti al 10% e 50% dell'illuminamento massimo.
Key Diameter 10%-50%: beam diameter for 10% and 50% of maximum illumination.
Légende Diameter 10%-50%: valeurs du diamètre du faisceau lumineux correspondant à 10% et 50% de l'éclairage maximum.
Legende Diameter 10%-50%: Lichtkreis-Durchmesser bei 10% bzw. 50% maximaler Ausleuchtung.
Leyenda Diameter 10%-50%: valores del diámetro del haz luminoso correspondientes al 10% y 50% de la iluminación máxima.

FULL POWER MODE (700 W)


Minimum Zoom (14,7°) - 700 W




Maximum Zoom (34,9°) - 700 W




Minimum Zoom with Uniform Field Lens (14,7°) - 700 W




Maximum Zoom with Uniform Field Lens (34,9°) - 700 W



Minimum Zoom with Frost (12,1° 50% - 22,5° 10%) - 700 W




Maximum Zoom with Frost (22,7° 50% - 47,1° 10%) - 700 W




HALF-POWER MODE (400 W)


Minimum Zoom (14,7°) - 400 W




Maximum Zoom (34,9°) - 400 W




Minimum Zoom with Uniform Field Lens (14,7°) - 400 W



Maximum Zoom with Uniform Field Lens (34,9°) - 400 W



Minimum Zoom with Frost (11.3° 50% - 21.4° 10%) - 400 W



Maximum Zoom with Frost (22,7° 50% - 46,8° 10%) - 400 W

