

## SHARPY RETURNS. SHARPER THAN EVER.

- **Light Source:**

Custom 250W OSRAM short-arc High-Intensity Discharge (HID) lamp

- **Output:**

100,000 lux @ 20 m / 9,300+ fc @ 65 ft

- **Aperture:**

2° beam angle with focus lens

- **Shield Family:**

Moving head fixture suitable for outdoors (IP66)

- **CloudIO Ready:**

Fully compatible with CloudIO



When legends return, they don't just repeat the past — they redefine the future. **Ultimo Sharpy** is the next evolution of an icon: a compact **IP66-rated** beam moving head, purpose-built for the most demanding environments, productions, and expectations. It carries the legacy of the original Sharpy into a new era — **faster, brighter and tougher than ever before.**

Engineered to thrive both indoors and out, Ultimo Sharpy is more than a fixture — it's a statement. With its groundbreaking **power-to-size ratio**, **advanced optics**, and fast, true **CMY color mixing**, it delivers stunning mid-air effects, infinite motion, and absolute precision. Whether on the biggest stage, under the harshest conditions, or inside a tightly cued broadcast, Ultimo Sharpy performs with effortless brilliance.

### BRIGHTER, SHARPER, GREENER

At the heart of Ultimo Sharpy lies a **custom 250W OSRAM short-arc High-Intensity Discharge (HID) lamp**, designed for maximum output and sustainability. Delivering an astonishing **100,000 lux at 20 m** (over 9,300 fc at

65 ft), it packs the punch of much larger fixtures — **all while keeping the compact, iconic shape that made the original Sharpy a legend.** Thanks to precision optics, the beam is razor-sharp, crystal-clear, and completely halo-free — a laser-like shaft of pure impact that stays perfectly consistent over any distance. Designed for the demands of the modern stage, the lamp offers **up to 6,000 hrs** of

life in intelligent **"Pro Mode"**, minimizing downtime and costly replacements. Pro Mode's smart dimming technology reduces lamp stress during quiet cues, extending lifespan without sacrificing performance. Recyclable components, lower mercury content, and optimized efficiency reduce the fixture's footprint, offering more **ecofriendly lighting solution**, even with the lamp technology.





# SHARPY RETURNS

SHARPER THAN EVER.

ULTIMO  
SHARPY

## FAST AS LIGHTNING

Ultimo Sharpy takes motion to the next level in a compact beam head. With **ultra-fast tilt, infinite pan rotation, and advanced motor control**, it delivers movement that's silky smooth, razor-sharp, and perfectly precise — whether you're running a time-coded show, hitting every beat drop, or switching looks live on stage, Ultimo Sharpy reacts instantly. **Infinite pan rotation** breaks free from mechanical limits — no reset points, no design boundaries. Just seamless, expressive motion that brings bold, dynamic visuals to life.

Still using the **original Sharpy** in your rig? **No problem.** Ultimo Sharpy comes with a dedicated **Sharpy Emulation Mode**. Just select it from the function channel and match the speed and behavior of the original. No reprogramming. No surprises. Just seamless plug-and-play compatibility.

## COLORS AND AERIAL EFFECTS THAT GO BEYOND

Ultimo Sharpy's **ultra-fast, true CMY color mixing** delivers seamless transitions, bold saturated tones, delicate pastels, and crisp mid-air effects — all without the limits of fixed color wheels. A built-in **frost filter** lets you shift from tight beams to smooth washes in an instant, while the original **14-color wheel** brings back that iconic Sharpy vibe. **Dual rotating prisms** unlock a new world of creativity, producing intricate, dynamic patterns that go far beyond the capabilities of a single prism. With independent

control and layering options — combined with **gobos** and **frost** — designers can craft evolving effects live, adding drama, depth, and visual impact to every moment. Whether you're softening beams, giving gobos a dreamy glow, or building multi-layered mid-air looks, Ultimo Sharpy responds with precision. One fixture. Infinite possibilities.

## SMOOTH DIMMING AT YOUR FINGERTIPS

Ultimo Sharpy delivers flawless, **high-resolution electronic dimming** for smooth cinematic fades and **flicker-free** performance. Whether you're dialing in bold bursts of intensity or subtle, nuanced transitions, its precision control adapts to any setting — from high-energy live shows to film and TV where detail is everything. Expect seamless fades, stunning output, and a beam that keeps pace with your creativity.



## COMPACT POWERHOUSE WEATHER-READY

Weighing in at just **19.5 kg (43 lbs)** and housed in a sleek, rugged **IP66-rated** body, Ultimo Sharpy stays true to the original's lightweight legacy — but delivers an incredible size-to-power ratio that outperforms expectations. Despite its **compact form**, it projects a razor-sharp, laser-like beam that remains bright and focused across long distances, making it perfect for large venues and outdoor stages. With a **front aperture** measuring **140 mm** (about 5.5"), it floods every inch of its lens with brilliant, punchy light.

Measuring only **534 mm** (about 21"), Ultimo Sharpy fits effortlessly into any setup — from concert trusses and TV studios to showrooms and conference rooms. Its compact size simplifies rigging in tight spaces, while the lightweight design speeds up setup and transport, making it an ideal choice for tours and fast-paced productions. Practicality meets innovation with user-friendly features like the **side spacing handles** making quick, precise setup easier than ever.

**Ultimo Sharpy** takes everything you loved about the original and raises the bar: it is **fast, fierce** and **fearless**. It delivers stunning, professional-quality light with impressive efficiency, making it a **smart, reliable** and **green choice** for any production. Ready to own the stage and the skies, Ultimo Sharpy is your **go-to fixture** for **unbeatable performance** and **lasting value**.



## MAIN FEATURES

---

- Light source: custom 250W OSRAM short-arc High-Intensity Discharge (HID) lamp
- Lamp life: up to 6,000 hrs
- Output: 100,000 lux @ 20 m / 9,300+ fc @ 65 ft
- Color Temperature: 7200K
- CRI: 74
- 140 mm (5.5") diameter front lens
- Aperture: 2° beam angle with focus lens
- True CMY color mixing system (wheel-based for faster transitions)
- Original 14-color fixed color wheel
- Original high-contrast gobo wheel (17 position + open)
- Dual independently rotating prisms
- Integrated 10° frost filter
- Ultra-smooth electronic dimming with high-resolution fades
- High-speed tilt (270°) and infinite pan rotation
- Pan and Tilt lock, SunSafe protection innovation, and Tilt brake
- Sharpy Emulation Mode for plug-and-play legacy compatibility
- Input Voltage: 100-240V
- Power Consumption: 450VA
- Control options: DMX 5-pin XLR IN/OUT, TRUE1 powerCON IN/OUT,
- RJ45 EtherCON IN/OUT
- Wireless DMX built-in
- IP66-rated for outdoor use
- CloudIO-ready for remote diagnostics and firmware updates
- Weight: 19.5Kg (43 lbs)
- Size (LxWxH): 253 x 358 x 534 mm (10 x 14.1 x 21 in)